

# RAC 5T - 10T - 20T



Rulli auto centranti 5 TON - 10 TON - 20 TON



Self-aligning rollers 5 TON - 10 TON - 20 TON



Selbstzentrierende rollen 5 TON - 10 TON - 20 TON



Vireurs auto-alignants 5 TON - 10 TON - 20 TON




Viradores autocentrantes 5 TON - 10 TON - 20 TON




	RAC 5 TON M+F	RAC 10 TON M+F	RAC 20 TON M+F
Portata/Load/Tragkraft/ Portee/Capacidad	5000	10000	20000
Min/MaxØ	300 / 2500	400 / 3200	600 / 3800
Motor power	0,75 kW	1,1 kW	1,5 kW
mm/min	100-1000	100-1000	100-1000
Dati ruote, mm Wheel data, mm Rollendaten, mm Galets, mm Datos ruedas, mm	(PU) Ø250 * W.120	(PU) Ø300 * W.170	(PU) Ø350 * W.180
Control	Remote control, 10 m cable	Remote control, 10 m cable	Remote control, 10 m cable
Alimentazione Power Speisung Alimentation Alimentación	400 V	400 V	400 V
Kg	680	880	1750

# RAC 5T - 10T - 20T

RAC 5T - 10T - 20T




## RAC 5 TON M+F




# RAC 5T - 10T - 20T

RAC 5T - 10T - 20T




## RAC 10 TON M+F



# RAC 5T - 10T - 20T

RAC 5T - 10T - 20T



## RAC 20 TON M+F

